

SECTION A
INDEX TO VOLUME 25

Authors

- Armstrong, L. D.**—The use of high permeability materials in magnetometers. The application of a saturated core type magnetometer to an automatic steering control, 124.
——— and Dauphinee, T. M.—Thermal conductivity of metals at high temperatures. I. Description of the apparatus and measurements on iron, 357.
- Arnell, J. C.**—Permeability studies. II. Surface area measurements of inorganic pigment powders, 191.
- Auger, P., Munn A. M., and Pontecorvo, B.**—The transport mean free path of thermal neutrons in heavy water, 143.
- Batho, H. F.**—See Langstroth G. O.
- Booker, D. V.**—See Sargent, B. W.
- Cavanagh, P. E.**—See Sargent, B. W.
- Cipriani, A. J.**—See Mayneord, W. V.
- Dauphinee, T. M.**—See Armstrong, L. D.
- Demers, P.**—New photographic emulsions showing improved tracks of ionizing particles, 223.
- Dixon, W. R.**—See Hushley, W. J.
- Ellis, S. G.**—A note on the electron microscope examination of greases, 119. The use of diaphragms in the electron microscope, 322.
- Fenning, F. W., Graham, G. A. R., and Seligman, H.**—The ratio of the capture cross sections of lithium and boron for thermal neutrons, 73.
- Ferguson, A. J.**—A note on phase correction in electrical delay networks, 68.
- Graham, G. A. R.**—See Fenning, F. W.; Whitehouse, W. J.
- Graham, R. L.**—See Thode, H. G.
- Hereward, H. G., Laurence, G. C., Munn, A. M., Paneth, H. R., and Sargent, B. W.**—The diffusion length of thermal neutrons in heavy water containing lithium carbonate, 26.
———, Laurence, G. C., Paneth, H. R., and Sargent, B. W.—Measurement of the diffusion length of thermal neutrons in graphite, 15.
See Sargent, B. W.
- Hincks, E. P.**—See May, A. N.
- Hushley, W. J. and Dixon, W. R.**—The gamma-ray measurement of radium ore concentrates, 210.
- Johns, M. W.**—See Langstroth, G. O.
- Langstroth, G. O., Johns, M. W., Wolfson, J. L., and Batho, H. F.**—A laboratory study of visibility through clouds, 49. The recognition of objects nearly obscured by a cloud, 58.
——— and Wolfson, J. L.—A note on the determination of the extinction coefficient of aerosols, 62.
- Larose, P.**—The effect of wind on the thermal resistance of clothing with special reference to the protection given by coverall fabrics of various permeabilities, 169.

- Laurence, G. C.**—See Hereward, H. G.
- Lorrain, P.**—A low-pressure glow-discharge proton source, 338.
- May, A. N.** and **Hincks, E. P.**—Evidence for an (n, α) reaction induced in O^{17} by thermal neutrons, 77.
- Mayneord, W. V.** and **Cipriani, A. J.**—The absorption of gamma rays from Co^{60} , 303.
- Munn, A. M.** and **Pontecorvo, B.**—Spatial distribution of neutrons in hydrogenous media containing bismuth, lead, and iron, 157.
See Auger, P.; Hereward, H. G.
- Niemi, N. J.**—See Sargent, B. W.
- Northwood, T. D.**—Sonic determination of the elastic properties of ice, 88.
- Paneth, H. R.**—See Hereward, H. G.
- Petrie, W.**—The calculation of line strengths from laboratory data, 42. Excitation conditions in the upper atmosphere as determined from a study of atomic emission lines in the auroral spectrum, 293.
- Placzek, G.** and **Volkoff, G.**—A theorem on neutron multiplication, 276.
- Pontecorvo, B.**—See Auger, P.; Munn, A. M.
- Sargent, B. W.,** **Booker, D. V.,** **Cavanagh, P. E.,** **Hereward, H. G.,** and **Niemi, N. J.**—The diffusion length of thermal neutrons in heavy water, 134.
See Hereward, H. G.
- Seligman, H.**—See Fenning, F. W.
- Shu, S.**—The foundations and philosophical implications of wave mechanics, 96.
- Thode, H. G.** and **Graham, R. L.**—A mass spectrometer investigation of the isotopes of xenon and krypton resulting from the fission of U^{235} by thermal neutrons, 1.
- Tillotson, J. G.**—See Woonton, G. A.
- Volkoff, G.**—See Placzek, G.
- Watson, W. H.**—A method for computing transformations in radioactive series, 252.
- Whitehouse, W. J.** and **Graham, G. A. R.**—Ratio of neutron absorption cross sections of boron and hydrogen, 261.
- Wolfson, J. L.**—See Langstroth, G. O.
- Woonton, G. A.** and **Tillotson, J. G.**—The E -plane radiation pattern of short electromagnetic horns of large aperture, 315.

SECTION A
INDEX TO VOLUME 25

Subjects

Absorption

cross sections, Neutron, Ratio of, of boron and hydrogen, 261.

See also Capture cross sections.
of gamma rays from Co^{60} , 303.

Aerosols, Determination of extinction coefficient of, 62.

Area, Surface, Measurements of, of inorganic pigment powders, 191.

Atmosphere, Upper, Excitation conditions in, as determined from a study of atomic emission lines in the auroral spectrum, 293.

Atomic emission lines in the auroral spectrum, Excitation conditions in the upper atmosphere as determined from a study of, 293.

Auroral spectrum, Atomic emission lines in, Excitation conditions in the upper atmosphere as determined from a study of, 293.

Bismuth, lead, and iron in hydrogenous media, Spatial distribution of neutrons in, 157.

Boron

and hydrogen, Ratio of neutron absorption cross sections of, 261.

and lithium, Ratio of capture cross sections of, for thermal neutrons, 73.

Capture cross sections

of lithium and boron, Ratio of, for thermal neutrons, 73.

See also Absorption cross sections.

Carbonate, Lithium, See Lithium carbonate.

Clothing, Thermal resistance of, Effect of wind on, with special reference to the protection given by coverall fabrics of various permeabilities, 169.

Clouds

A laboratory study of visibility through, 49.

Recognition of objects nearly obscured by, 58.

Cobalt, Absorption of gamma rays from Co^{60} , 303.

Coefficient, Extinction, See Extinction coefficient.

Conductivity, Thermal, of metals at high temperatures. I. Description of the apparatus and measurements on iron, 357.

Cross sections

Capture, of lithium and boron, Ratio of, for thermal neutrons, 73.

Neutron absorption, of boron and hydrogen, Ratio of, 261.

Diaphragms, Use of, in the electron microscope, 322.

Diffusion length of thermal neutrons

in graphite, Measurement of, 15.

in heavy water, 134.

in heavy water containing lithium carbonate, 26.

Elastic properties of ice, Sonic determination of, 88.

Electrical delay networks, A note on phase correction in, 68.

Electromagnetic horns, Short, of large aperture, *E*-plane radiation pattern of, 315.

Electron microscope

Note on the examination of greases by means of, 119.

Use of diaphragms in, 322.

Emission lines, Atomic, in the auroral spectrum, Excitation conditions in the upper atmosphere as determined from a study of, 293.

Emulsions, New photographic, showing improved tracks of ionizing particles, 223.

Extinction coefficient of aerosols, A note on the determination of, 62.

Fabrics, Coverall, of various permeabilities, Effect of wind on the thermal resistance of clothing with special reference to the protection given by, 169.

Fission of U^{235} by thermal neutrons, A mass spectrometer investigation of the isotopes of xenon and krypton resulting from, 1.

Gamma-rays

Absorption of, from Co^{60} , 303.

Measurement of radium ore concentrates by means of, 210.

Graphite, Measurement of the diffusion length of thermal neutrons in, 15.

Greases, Note on the electron microscope examination of, 119.

Heavy water, See Water, Heavy.

Hydrogen and boron, Ratio of neutron absorption cross sections of, 261.

Hydrogenous media, containing bismuth, lead, and iron, Spatial distribution of neutrons in, 157.

Ice, Sonic determination of the elastic properties of, 88.

Inorganic pigment powders, Surface area measurements of, 191.

Ionizing particles, New photographic emulsions showing improved tracks of, 223.

Iron

bismuth, and lead in hydrogenous media, Spatial distribution of neutrons in, 157.

See under Conductivity, Thermal.

Isotopes, See Cobalt; Krypton; Oxygen; Uranium; Xenon.

Krypton, A mass spectrometer investigation of isotopes of, resulting from the fission of U^{235} by thermal neutrons, 1.

Lead, bismuth, and iron in hydrogenous media, Spatial distribution of neutrons in, 157.

Line strengths, Calculation of, from laboratory data, 42.

Lithium

and boron, Ratio of capture cross sections of, for thermal neutrons, 73.

carbonate, Diffusion length of thermal neutrons in heavy water containing, 26.

Magnetometers, Use of high permeability materials in, The application of a saturated core type magnetometer to an automatic steering control, 124.

Mass spectrometer, Investigation of the isotopes of xenon and krypton resulting from fission of U^{235} by thermal neutrons by means of, 1.

Mean free path, Transport, of thermal neutrons in heavy water, 143.

Mechanics, Wave, See Wave mechanics.

Metals, Thermal conductivity of, at high temperatures, I. Description of the apparatus and measurements on iron, 357.

Microscope, Electron, See Electron microscope.

Multiplication, Neutron, Theorem on, 276.

(n , α) reaction, induced in O^{17} by thermal neutrons, Evidence for, 77.

Networks, Electrical delay, A note on phase correction in, 68.

Neutron(s)

absorption cross sections of boron and hydrogen, Ratio of, 261.

multiplication, Theorem on, 276.

Spatial distribution of, in hydrogenous media containing bismuth, lead, and iron, 157.

Thermal,

Evidence for an (n , α) reaction induced in O^{17} by, 77.

Fission of U^{235} by, Mass spectrometer investigation of the isotopes of xenon and krypton resulting from, 1.

Measurement of diffusion length of in graphite, 15.

in heavy water, 134.

in heavy water containing lithium carbonate, 26.

Ratio of capture cross sections of lithium and boron for, 73.

Transport mean free path of, in heavy water, 143.

Oxygen, Evidence for an (n , α) reaction induced in O^{17} by thermal neutrons, 77.

Permeability

of coverall fabrics, Effect of wind on the thermal resistance of clothing with special reference to, 169.

studies. II. Surface area measurements of inorganic pigment powders, 191.

Use of high permeability materials in magnetometers, 124.

Phase correction in electrical delay networks, A note on, 68.

Photographic emulsions, New, showing improved tracks of ionizing particles, 223.

Pigment powders, Inorganic, Surface area measurements of, 191.

Powders, Inorganic pigment, Surface area measurements of, 191.

Protection given by coverall fabrics of various permeabilities, Effect of wind on the thermal resistance of clothing with special reference to, 169.

Proton source, Low-pressure glow-discharge, 338.

Radiation pattern, *E*-plane, of short electromagnetic horns of large aperture, 315.

Radioactive series, Method for computing transformations in, 252.

Radium ore concentrates, Gamma-ray measurement of, 210.

Resistance, Thermal, of clothing, Effect of wind on, with special reference to the protection given by coverall fabrics of various permeabilities, 169.

Sonic determination of the elastic properties of ice, 88.

Spectrometer, Mass, See Mass spectrometer.

Spectrum, Auroral, See Auroral spectrum.

Steering control, Automatic, Application of a saturated core type magnetometer to, 124.

Surface area measurements of inorganic pigment powders, 191.

Temperatures, High, See under Thermal conductivity.

Thermal conductivity of metals at high temperatures. I. Description of the apparatus and measurements on iron, 357.

Thermal neutrons, See Neutrons, Thermal.

Thermal resistance of clothing, See Resistance, Thermal.

Tracks of ionizing particles, Improved, New photographic emulsions showing, 223.

Transformations in radioactive series, Method for computing, 252.

Transport mean free path of thermal neutrons in heavy water, 143.

U^{235} , See Uranium.

Uranium, Fission of U^{235} by thermal neutrons, A mass spectrometer investigation of isotopes of xenon and krypton resulting from, 1.

Visibility through clouds, A laboratory study of, 49.

Water, Heavy

Containing lithium carbonate, Diffusion length of thermal neutrons in, 26.

Diffusion length of thermal neutrons in, 134.

Transport mean free path of thermal neutrons in, 143.

Wave mechanics, Foundations and philosophical implications of, 96.

Wind, Effect of, on the thermal resistance of clothing with special reference to the protection given by coverall fabrics of various permeabilities, 169.

Xenon, A mass spectrometer investigation of isotopes of, resulting from the fission of U^{235} by thermal neutrons, 1.